



SAFETY DATA SHEET

Page 1 of 3

Roban Pasta Bait (HSE No.: 8116)

Revision No. 2

Issue date: 22 February 2006

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name	Roban Pasta Bait
Company	PelGar International Ltd Unit 13, Newman Lane Industrial Estate, Newman Lane, Alton, Hampshire GU34 2QR Tel +44 (0) 1420 80744 Fax +44 (0) 1420 80733
Product code	515

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components	Difenacoum 0.005%, 56073-07-5. T+;R28 T;R48/25 N;R50/53 Flour 60 – 70%. Peanut Butter 6%
-----------------------------	---

3. HAZARDS IDENTIFICATION

Most important hazards	The preparation is non-dangerous in accordance with Directive 1999/45/EC Unlikely to cause harmful effects under normal conditions of handling and use. Contains Peanuts. May cause allergic reaction. Harmful to Wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance with its label.
-------------------------------	--

4. FIRST AID MEASURES

Skin contact	May cause skin irritation in susceptible persons. Remove contaminated clothing Wash off immediately with soap and plenty of water. If irritation persists obtain medical attention Contaminated clothing should be washed and dried before re-use
Eye contact	May cause eye irritation of susceptible persons. Rinse immediately with plenty of water and seek medical advice.
Inhalation	Unlikely to present an inhalation hazard unless excessive dust is present. Move to fresh air. Obtain medical advice immediately.
Ingestion	If swallowed, seek medical advice immediately and show this container or label. Contains Peanuts, may cause an allergic reaction in people with nut allergies.
General advice	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). ADVICE FOR DOCTORS: Difenacoum is an indirect anticoagulant. Phytomenadione, Vitamin K1, is antidotal. Determine prothrombin times not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Keep fire exposed containers cool by spraying with water if exposed to fire. Carbon dioxide (CO ₂), alcohol-resistant foam, dry powder, water spray, mist or foam.
Extinguishing media which must not be used for safety reasons	Do not use water jets
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus, suitable gloves and boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear suitable protective clothing, gloves and eye/face protection..See section 8.
Environmental precautions	Prevent further leakage or spillage if safe to do so.

Roban Pasta Bait

Revision No. 2

Issue date: 22 February 2006

Methods for cleaning up Clean up promptly by sweeping or vacuum. Transfer to a suitable labelled container. Subsequently, wash the contaminated area with water, taking care to prevent the washings entering sewers or drains.

7. HANDLING AND STORAGE

Handling Avoid contact with skin and eyes. Avoid dust formation. Do not smoke eat or drink while handling this product. Always use good personal hygiene procedures when handling chemicals. Wash hands and face before eating, drinking or smoking. Read the label before use.

Storage Keep in a cool, well-ventilated place. Keep out of the reach of children. Keep away from food and animal feedstuffs Keep away from oxidising agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit(s) Difenacoum 0.002mg/m³ (Long Term Exposure Limit)
Flour TWA(mg/m³):10 as dust (MEL)

Respiratory protection Unlikely to present an inhalation hazard unless excessive dust is present. If dust evels approach the MEL's or OES then suitable approved respiratory protection should be worn.

Hand protection Impervious gloves

Eye protection Tight fitting goggles if exposed to excessive dust.

Skin and body protection Impervious clothing boots

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Paste

Colour Red

Odour Characteristic

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Heat, flames and sparks.

Materials to avoid oxidising agents

Hazardous decomposition products Combustion or thermal decomposition will produce toxic and irritant fumes

11. TOXICOLOGICAL INFORMATION

Acute toxicity ORL RAT LD50 approx. 30 g/kg (calculated)

Primary irritation No eye irritation No skin irritation

Sensitisation Flour dust is a respiratory sensitiser causing asthma. As the product is a paste, it is unlikely to create sufficient dust to cause any problems.

mutagenic effects No evidence to suggest anticoagulant rodenticides are mutagenic

carcinogenic effects No evidence to suggest anticoagulant rodenticides are carcinogenic.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects As the product contains 50ppm difenacoum , unlikely to be hazardous to aquatic life. Harmful to wildlife. Read All Precautions before use.

13. DISPOSAL CONSIDERATIONS

General Information Dispose of in accordance with local regulations.

Roban Pasta Bait

Revision No. 2

Issue date: 22 February 2006

Contaminated packaging Dispose of as unused product.

14. TRANSPORT INFORMATION

Not Classified as dangerous for transport

15. REGULATORY INFORMATION

Labelling The preparation is non-dangerous in accordance with Directive 1999/45/EC.

16. OTHER INFORMATION

Text of R phrases mentioned in Section 2 R28 - Very toxic if swallowed
R48/25 - Toxic: danger of serious damage to health by prolonged exposure if swallowed.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Recommended restrictions Ready for use rodenticide containing 50 ppm difenacoum

Sources of key data used to compile the datasheet Raw material suppliers safety data sheets.
CHIP 2002
EH40

Replaces: Revision No.: 1 Changes to Section 2, 3, 4, 12